





Are phase change materials suitable for thermal energy storage? Phase change materials (PCMs) having a large latent heat during solid-liquid phase transition are promisingfor thermal energy storage applications. However,the relatively low thermal conductivity of the majority of promising PCMs (<10 W/(m ??? K)) limits the power density and overall storage efficiency.





Are dicarboxylic acids a phase change material for thermal energy storage? J. Chem. Eng. Data 2015, 60, 202???212. [Google Scholar] [CrossRef] Aydin, A.A. Diesters of high-chain dicarboxylic acids with 1-tetradecanol as novel organic phase change materials for thermal energy storage.





Which type of organic phase change material is more suitable? Based on the reviews made with various organic phase change (paraffin,non-paraffin,fatty acids,etc.),paraffin type of organic phase change materials has been considered to be more suitable for a higher thermal conductivity in energy applications.





Do phase change materials reduce energy consumption? Phase change materials (PCMs) possess exceptional thermal storage properties, which ultimately reduce energy consumption by converting energy through their inherent phase change process.





How do functional organic materials exhibit solid-to-liquid phase transitions? We have discovered novel functional organic material systems that exhibit solid-to-liquid phase transitions controlled by optical and electrical stimulation, along with other research groups. The development and optimization of such materials are enabled by the judicious molecular designs and syntheses.





Which organic compounds hold promise as phase change materials? Other organic compounds, such as aliphatic fatty diamides [11], fatty amides [12] and aromatic esters [13], also hold promise as phase change materials. We begin with consideration of the melting points as a function of compound type and number of carbons in the structure.





Recent developments in phase change materials for energy storage applications: a review. Int J Heat Mass Tran, 129 (2019), pp. 491-523. High-chain fatty acid esters of 1-octadecanol as novel organic phase change materials and mathematical correlations for estimating the thermal properties of higher fatty acid esters" homologous series.



The global energy transition requires new technologies for efficiently managing and storing renewable energy. In the early 20th century, Stanford Olshansky discovered the phase change storage properties of paraffin, advancing phase change materials (PCMs) technology [].Photothermal phase change energy storage materials (PTCPCESMs), as a ???





An alternative way of harvesting low-grade waste heat is to store it in a chemical form, using either reversible reactions (i.e., thermochemical energy storage) or physical state changes (i.e., thermophysical energy storage). 2 Figure 1 A summarizes state-of-the-art thermal energy storage processes and representative chemicals. These storage methods span a wide ???



Chen et al. review the recent advances in thermal energy storage by MOF-based composite phase change materials (PCMs), including pristine MOFs and MOF composites and their derivatives. They offer in-depth insights into the correlations between MOF structure and thermal performance of composite PCMs, and future opportunities and challenges associated ???






The use of phase change material (PCM) is being formulated in a variety of areas such as heating as well as cooling of household, refrigerators [9], solar energy plants [10], photovoltaic electricity generations [11], solar drying devices [12], waste heat recovery as well as hot water systems for household [13]. The two primary requirements for phase change ???



Energy storage technologies include sensible and latent heat storage. As an important latent heat storage method, phase change cold storage has the effect of shifting peaks and filling valleys and improving energy efficiency, especially for cold chain logistics [6], air conditioning [7], building energy saving [8], intelligent temperature control of human body [9] ???



Her research interests mainly focus on the synthesis and applications of flexible phase change materials for thermal energy storage and conversion. Ge Wang received her Ph.D. in Chemistry from the Michigan Technological University, United States, in 2002. Currently she is a professor and Ph.D. supervisor in the School of Material Science and



Organic solid-liquid phase change materials (SLPCMs) such as paraffin waxes, fatty acids and polyethylene glycol are the most extensively utilized latent heat storage materials [14], [15]. However, the leakage problem of organic PCMs can cause serious damages of contamination or device failure if used in packaging and electronic equipment.



S?o Tom? and Pr?ncipe signed a memorandum of understanding (MoU) on 23 August with UK's Global OTEC Resources and France's Enogia for the development of a pilot ocean thermal energy conversion (OTEC) platform. Known as Dominique, the 1.5MW floating facility will be installed in the Gulf of Guinea. Global OTEC will act as the technology and ???





During the phase change process, phase change organic matter has the capacity to absorb and release a significant quantity of latent heat across a wide temperature range. In a variety of applications [13], the utility of PCM in energy storage and insulation has been technically and industrial applications proven.



Development of the world economy has drastically increased the global energy demand on a large scale. Based on the current energy utilization rate, it is predicted that the energy demand will increase by about 60 % by 2030 compared to the current energy consumption [1]. On the contrary, the higher energy consumption by fossil fuels such as coal, gasoline and ???



Energy storage is one of the key factors to ensure energy safety and net-zero greenhouse gas emissions by the year 2050 [1]. Although global energy demand will rise due to the economic development and the population increase, the ambitious aim to reduce greenhouse gas emissions is pushing towards a severe change in the employed energy systems through ???



Phase-change materials (PCMs) are essential modern materials for storing thermal energy in the form of sensible and latent heat, which play important roles in the efficient use of waste heat and solar energy. In the development of PCM technology, many types of materials have been studied, including inorganic salt and salt hydrates and organic matter ???



Phase change materials (PCMs) possess exceptional thermal storage properties, which ultimately reduce energy consumption by converting energy through their inherent phase change process. Biomass materials offer the advantages of wide availability, low cost, and a natural pore structure, making them suitable as carrier materials for biomass composite PCMs.







Abstract Phase-change materials (PCMs) offer tremendous potential to store thermal energy during reversible phase transitions for state-of-the-art applications. are gaining much attention toward practical thermal-energy storage (TES) owing to their inimitable advantages such as solid-state processing, negligible volume change during phase





PDF | On Aug 28, 2020, Yongcun Zhou and others published Recent Advances in Organic/Composite Phase Change Materials for Energy Storage | Find, read and cite all the research you need on ResearchGate





The shape-stabilization is an effective strategy to prevent the leakage and enhance the energy storage capacity of organic phase change materials. The shape stability can be achieved by entrapping the organic phase change materials in a shell through microencapsulation and by integrating into the supporting materials" matrix or by developing



The research on phase change materials (PCMs) for thermal energy storage systems has been gaining momentum in a quest to identify better materials with low-cost, ease of availability, improved thermal and chemical stabilities and eco-friendly nature. The present article comprehensively reviews the novel PCMs and their synthesis and characterization techniques ???





During the phase change process, PCMs undergo a phase change to harvest heat storage and heat release, and MOFs c an restrict the ???ow of the melted PCMs, thus preventing the liquid leakage.





Sarier N, Onder E. Organic phase change materials and their textile applications: an overview. Thermochim Acta 2012; 540: 7???60. Crossref. Zhao Z, Tong NN, Song H, et al. Preparation and characterization of phase-change energy storage nonwoven fabric. J Ind Text 2022; 51: 7089s???7103s. Crossref. Web of Science. Google Scholar. 49.



The present work demonstrates a novel concept to develop and explore PCM composite by embedding two unique zinc oxide tetrapod classes to engineer the heat transfer mechanism for potential utilization in thermal energy storage. Tetrapods embedded phase change material (TPCM) composite displayed up to 94% enhancement in thermal conductivity



Phase change materials (PCMs) for thermal energy storage have been intensively studied because it contributes to energy conservation and emission reduction for sustainable energy use.





Thermal energy harvesting and its applications significantly rely on thermal energy storage (TES) materials. Critical factors include the material's ability to store and release heat with minimal temperature differences, the range of temperatures covered, and repetitive sensitivity. The short duration of heat storage limits the effectiveness of TES. Phase change ???





Thermal energy storage technologies utilizing phase change materials (PCMs) that melt in the intermediate temperature range, between 100 and 220 °C, have the potential to mitigate the intermittency issues of wind and solar energy. This technology can take thermal or electrical energy from renewable sources and store it in the form of heat. This is of particular ???





According to WEO (World Energy Outlook) reports issued by IEA (International Energy Agency), the world energy demand will rise by one-third from 2011 to 2035, and simultaneously carbon dioxide (CO 2) emission will also increase by 20 to 37.2% due to energy generation by fossil fuels leading to undesired changes in climate.So, the utilization of fossil ???





Here, we review the recent advances in thermal energy storage by MOF-based composite phase change materials (PCMs), including pristine MOFs, MOF composites, and their derivatives. At the same time, this review offers in-depth insights into the correlations between MOF structure and thermal performance of composite PCMs.





Pure hydrated salts are generally not directly applicable for cold energy storage due to their many drawbacks [14] ually, the phase change temperature of hydrated salts is higher than the temperature requirement for refrigerated transportation [15]. At present, the common measure is to add one or more phase change temperature regulators, namely the ???