



SWITZERLAND 5S LI ION BATTERY



Description Add an extra layer of protection to the charging and discharging mechanism of the 18650 Batteries in your project.
Specifications Model: BW-6022-5S Supply voltage: 21VDC Cell overcharge protection: 4.18 ~ 4.22V Cell discharge protection: 2.75 ~ 2.85V Continuous current: 10A Maximum current: 15A (when using




5S 25A BMS f?r Li-POLYMER und LiMnO₂ Li-Ion Akkus. Schutz Parameter: Einzelne Zelle ?berladungsschutz Spannung: 4,23V bis 4,28V Einzelne Zelle ?berladungsschutz erholungs Spannung: 4,08V bis 4,18V ?berlade Schutz Verz?gerung: 0,5S bis 1,5S Einzelne Zelle ?ber-Entladung Schutz Spannung: 2,72V bis 2,88V Einzelne Zelle ?ber-Entladung ???



Pulse Ultra Batteries have redefined the RC lipo battery industry, with a goal to provide the absolute pinnacle in lithium battery technology. After many years of outstanding success, Pulse Ultra lipo batteries have lived up to their name in the RC industry, providing massive PULSE 5000mAh 35C 18.5V 5S LiPo Battery - EC5 connector



The MaxAmps 5000mAh 5s1p 18v Li-ion (Lithium-ion) battery is assembled in the USA for drones, UAV, VTOL, aerospace, and robotics applications. Includes fast delivery. Quantity Decrease quantity for Li-ion 5000mAh 5S 18v Battery Pack Increase quantity for Li-ion 5000mAh 5S 18v Battery Pack. Add to cart Couldn't load pickup availability




Godox V860III-C Flash for Canon Camera Flash Speedlite 7.2V/2600mAh Li-ion Battery, 2.4G Wireless HSS 1/8000 1.5s Recycle Time 10 Levels LED Modeling Light for Canon (Upgraded V860II-C) Visit the GODOX Store


SWITZERLAND 5S LI ION BATTERY



Product description 5S 20A 18V 21V Li-Ion Lithium Battery Pack Battery Charger Protection Board Circuit BMS Module Specifications: Charge Voltage: 18/21V Working State: 25uA (25???) Stand-by State: 6uA(25???) Single Cell Charge Voltage: 3.8/4.25V Store Temperature: -40???-125??? RH???75% Operating Temperature: -40???-85??? RH???75% Current



Li-Ion 18650 Battery: 18.25V 2600mAh (47.45Wh, 5A rate, 5S/S, LR1865SK) Total solution for Portable Power since 1995. Products are designed, assembled & Quality Controlled in USA. All products are shipped ???




Buy 18.5/21V 15A 5Series Battery BMS PCB Board for 18560 Li-Ion Lithium Battery Pack: Power Converters - Amazon FREE DELIVERY possible on eligible purchases 5S 21V 100A BMS Li-ion Lithium Battery Protection Board Circuit Li-Polymer Balance Charging Module for 3.7V LCO Battery Packs (5S 21V)



These 5S 18v MaxAmps Lithium ion 18650 and 21700 batteries are built with five Lithium ion cells in series. As with all our Lithium ion cylindrical batteries, they are assembled in the USA by our Battery Builders here at MaxAmps.



Buy 1S 2S 3S 4S 5S 6S 7S 18650 Li-ion Lipo Lithium 12V Lead Acid Battery Level Indicator Tester LCD Display Meter Module Capacity (3S 12.6V): Battery Testers - Amazon FREE DELIVERY possible on eligible purchases 3PCS 5S Lithium Battery Level Indicator Module Battery Power Tester 4 Blue LED for Voltage Display. 1 offer from \$999 \$ 9 99.



Li-ion 5S 18v Li-ion 4S 14.4v Li-ion 3S 10.8v Li-ion 2S 7.2v Li-ion 1S 3.6v Custom Battery Request; Item added to your cart. Check out. Continue shopping. Collection: 5S LiPo Batteries 18.5v. 5S LiPo batteries built with five cells in series providing 18.5v. All MaxAmps LiPo pouch batteries are

SWITZERLAND 5S LI ION BATTERY

assembled in the USA.

SWITZERLAND 5S LI ION BATTERY



Alinan 6pcs 5S 21V 4.2V Li-ion Balancer Board 18650 Li-ion Balancing Full Charge Battery Balance Function Protection Board. 3.5 out of 5 stars 15. 1 offer from \$1299 \$ 12 99. Comimark 2Pcs 2S 8A 7.4V Balance 18650 Li-ion ???



mAh 5S 25C/50C Lithium polymer battery Pack (LiPo) batteries are equipped with heavy-duty discharge leads to minimize resistance and sustain high current loads. Orange batteries stand up to the punishing extremes of aerobatic flight and RC vehicles. Each pack is equipped with XT-60 connectors and JST-XH style balance connectors.



2pcs BMS 5S 21V 18650 Li-ion Lithium Battery Protection Circuit Charging Board Module PCM Polymer Lipo Cell PCB (5S BMS 25A 21V) Visit the ACEIRMC Store. 3.6 3.6 out of 5 stars 40 ratings | Search this page . \$9.89 \$ 9. 89. Get Fast, Free ???



Type-C BMS 2S 3S 4S 5S Li-ion Battery Charge Board. Type-C USB 2S 3S 4S 5S BMS 4.5V-15V 18W 2A Lithium Battery Charging Module Support QC Fast Charge With Temperature Protection. Sold By ICWorld. Wishlist On Wishlist Tweet Share Pin This seller is taking a break. Sign up below to get an email when they're back!



Admiral Pro Series 6000mAh 5S 18.5V 50C LiPo Battery with EC5 Connector - EPR60005E Power you can trust! Admiral batteries are globally renowned for delivering superior power-to-weight ratio, reliable safety, and long lifespan. Produced in a world-class facility with an all-new formula that optimizes high performance a



Find many great new & used options and get the best deals for 3S/4S/5S 100A 12V BMS Li-ion LMO Lithium Battery Protection Circuit Board at the best online prices at eBay! Free shipping for many products!

SWITZERLAND 5S LI ION BATTERY



HXYP-5S-B530 21V 5S Lithium Battery Protection Board with Equalization and Temperature Control 30A 45A \$ 18.99 Availability: In Stock
Singapore Post, China Post, PostNL, Swiss Post, Sweden Post, USPS, Royal Mail e.t.c.) 3. Expedited Shipping ??? Express shipping with courier delivery (DHL, UPS, FedEx, TNT) Delivery Time. Airmail and Airmail



21V 3A 5S Lithium Battery Charger - for 18V Li-ion/LiPo battery pack; UK, EU plug Charging voltage: 21V CC/CV green light - when fully charged or not connected. red light - charging Protections: constant voltage, constant current, ???



x5pcs 5S 15A Li-ion Lithium Battery BMS 18650 Charger Protection Board 18V 21V Cell Protection Circuit . Specifications: Size: approx. 60*23mm Color: as picture shows Charging voltage: 21 V Charge MOS pressure value: 35 V Discharge MOS pressure value: 35 V Charging current: 56 A Continuous discharge current: 15 A Over current protection: 50/55/60 A Over ???



iPhone 5S Battery Adhesive Sticker Strip. 1 x iPhone 5S Battery Adhesive Sticker Strip \$ 5.90 \$ 8.90. In stock. iPhone 5S Replacement Battery quantity. Add to cart. Samsung INR18650-35E 3500mAh 8A Li-Ion Battery With Tabs \$ 22.34 \$ 29.90; Top Rated Products. 5 x CR2450 Lithium Batteries. Rated 5.00 out of 5 \$ 9.29 \$ 15.90; 10 x AG3 / LR41



21V 3A 5S Lithium Battery Charger - for 18V Li-ion/LiPo battery pack; UK, EU plug Charging voltage: 21V CC/CV green light - when fully charged or not connected. red light - charging Protections: constant voltage, constant current, over-voltage, over current protection function; indicator light conv

SWITZERLAND 5S LI ION BATTERY

SUPPORT REAL-TIME ONLINE
MONITORING OF SYSTEM STATUS



UN 38.3 Safety Test: We own a national standard UN38.3 testing lab. We can provide UN38.3 test service to our customer. If you want to set up your own lab, we also provide UN38.3 & IEC62133 equipments and onsite training. Email us for the quote and lead time.



Amazon : BEBAT Replacement for iPhone 5S/5C Battery, 3500mAh High Capacity Li-ion Polymer Replacement Battery for iPhone 5S/5C A1453 A1457 A1518 A1528 A1530 A1533 with Complete Professional Repair Tool : Cell Phones & Accessories



1 x 5S 21V 100A BMS Li-ion Lithium Battery Protection Circuit Board .
Share your project below: Share your problem-solving process or video to help other friends solve problems. Customer reviews. 2.9 out of 5 stars. 2.9 out of 5. 12 global ???



Lithium polymer cells: These are the heart of a 5s LiPo battery, storing energy and power. Series configuration: The five cells are connected in series for 18.5V. Balance leads: Keep each cell charged and discharged evenly, keeping the battery healthy. Keeping your 5s Lithium Polymer (LiPo) batteries safe is very important. Not following



Amazon : BEBAT Replacement for iPhone 5S/5C Battery, 3500mAh High Capacity Li-ion Polymer Replacement Battery for iPhone 5S/5C A1453 A1457 A1518 A1528 A1530 A1533 with Complete Professional Repair ???