

To solve these problems, this study proposed a method for the mid-to-long term wind and photovoltaic power generation prediction based on copula function and long short term memory network to achieve an effective extraction of the key meteorological factors that affect power generation owing to nonlinear effects and tendencies, and to deeply exploit the long ???



While the charts in Fig. 1 show static generation potentials, Fig. 2 exemplifies, with data from July 2023, the wind and PV energy generation across the entire Northeast region throughout the day. Note that the peak of wind power generation occurs at night when PV power is close to zero.



The research on hydro-thermal-wind-solar power generation is roughly classified and summarized in Table 7. The original problem of hydro-thermal-wind-solar power generation was divided into four sub-questions of energy, and then an effective method for achieving long-term coordination was proposed to fully meet the needs of the grid [74].



This article briefly analyzes the technical advantages of the wind-solar hybrid power generation system, builds models of wind power generation systems, photovoltaic systems, and storage batteries, focusing on the key to wind and photovoltaic power generation systems-maximum power point tracking (MPPT) control, and detailed analysis of the maximum wind and solar ???





In order to achieve China's goal of carbon neutrality by 2060, the existing fossil-based power generation should gradually give way to future power generation that is dominated by renewables [9, 10]. The cost of solar PV and onshore wind power generation in China fell substantially by 82% and

33% from 2010 to 2019, respectively, driven by ever-increasing ???





In the design of a standalone hybrid wind/PV power system, not only the size of photovoltaic (PV) panels and the capacity of batteries but also the type and size of wind turbine generators (WTGs





This study combines the wind power, photovoltaic power, hydropower and pumped storage power to form a complementary generation system and proposes two optimal scheduling models of multi-energy power generation.





4 ? The paper establishes a two-layer optimization model and concludes that the optimized configuration scheme for a wind-PV-storage complementary power generation system has an installed capacity of 470 MW for wind power, 430 MW for photovoltaic (PV), and a storage configuration of 40 MWx3 h. The data for other schemes can be found in Table 3





Many scholars have conducted extensive research on the diversification of power systems and the challenges of integrating renewable energy. Wind and solar power generation's unpredictability poses challenges for grid integration, significantly affecting the stable operation of power systems, particularly when there is a mismatch between load demand and ???





In the past two decades, clean energy such as hydro, wind, and solar power has achieved significant development under the "green recovery" global goal, and it may become the key method for countries to realize a low-carbon energy system. Here, the development of renewable energy power generation, the typical hydro-wind-photovoltaic complementary ???



A wind power-photovoltaic-concentrating solar power (Wind-PV-CSP) generation cluster will still have a certain impact on the grid, because the integration of a variety of renewable energy brings





Literature (Benlahbib et al., 2020) proposed a hybrid microgrid system based on wind and solar power generation for remote area applications. Through the control of power electronic devices to improve the utilization of ???





The research structure of this paper is as follows: the spatiotemporal complementary characteristics of wind power, photovoltaic power, and hydropower and a multidimen-sional complementary index based on a space vector are described in Section 2. Section 3 probes into a case study, and Section 4 examin es its results. Finally, the conclusions





For the power generation system of wind, photovoltaic, hydro, thermal and out-purchased electricity, taking the minimum economic cost of thermal power generation as the objective function, an optimal dispatching model including the complementary system of wind-photovoltaic-hydro-thermal-out purchased electricity is proposed.





To integrate the inherent stochastic and intermittent new energy resources to power systems, multiple conditions are essential. For example, the power systems need enough load demand for power generation consumption, a certain amount of peak regulation capacity for the security and reliability of power systems, and good power transmission capacity for power ???





With the increasing proportion of renewable energy in power generation, the mixed utilization of multiple renewable energy sources has gradually become a new trend. Using the natural complementary characteristics of wind power, photovoltaic, and hydropower to evaluate the complementary potential of various energy sources has become a hot issue in ???





For China, some researchers have also assessed the PV power generation potential. He et al. [43] utilized 10-year hourly solar irradiation data from 2001 to 2010 from 200 representative locations to develop provincial solar availability profiles was found that the potential solar output of China could reach approximately 14 PWh and 130 PWh in the lower ???





Utility-scale wind and solar PV power plants installed until 2019 in the Brazilian Northeast [24], and location of the case study Brotas de Maca?bas hybrid wind/PV power plant in the State of Bahia (top); the case-study location highlighted in the global horizontal irradiance map from Atlas Brasileiro de Energia Solar [4] (middle); and in the





By constructing a complementary power generation system model composed of large-scale hydroelectric power stations, wind farms, and photovoltaic power stations, and using the maximum capacity of wind and solar power integration as the outer objective function and the maximum source-load matching degree as the inner objective function, a two-layer ???





The complementary operation of a HWPES is a crucial issue for the efficient utilization of renewable resources. According to the time horizon involved, the complementary operation of HWPESs could be classified as short-term [6], mid-term [7], and long-term operations [8]. The short-term operation of a HWPES mainly includes the day-ahead generation plan ???





This work proposes a stochastic simulation model of renewable energy generation that explores several complementary effects between wind and photovoltaic resources in different Brazilian locations. The approach considers calculating energy generation states to simultaneously ???





Hydropower represents a good choice as a complementary power source for wind and PV power, because hydropower has both rapid opening and closing capabilities and strong regulation properties [7], [9]. This is helpful for rapid regulation of hydroelectric generators when required to stabilize the fluctuations in the wind and solar power output [10], [11].





For the power generation system of wind, photovoltaic, hydro, thermal and out???purchased electricity, taking the minimum economic cost of thermal power generation as the objective function, an





The ability to forecast wind and photovoltaic power generation in advance provides valuable insights for grid operators, energy traders, and renewable energy system planners [1]. Accurate forecasts enable efficient load balancing and support decision-making processes related to energy storage and backup generation.





The wind-solar hybrid power generation project combined with electric vehicle charging stations can effectively reduce the impact on the power system caused by the random charging of electric cars, contribute to the in-situ wind-solar complementary system and reduce the harm arising from its output volatility. In this paper, the site selection index system of a ???



The efficiency (?? PV) of a solar PV system, indicating the ratio of converted solar energy into electrical energy, can be calculated using equation [10]: (4) ?? P V = P max / P i n c where P max is the maximum power output of the solar panel and P inc is the incoming solar power. Efficiency can be influenced by factors like temperature, solar irradiance, and material ???



The output of wind power and photovoltaic power is random, fluctuating and intermittent, and a direct grid connection will result in the reduction of power generation income and a great



Wind power generation and photovoltaic power generation are one of the most mature ways in respect of the wind and solar energy development and utilization, wind and solar complementary power generation can effectively use space and time. The two forms of power



Distributed power generation systems are usually located near the power consumption site and use smaller generator sets. The article lists the use of wind, solar photovoltaic, gas turbine and fuel cell hybrid devices as the main power generation methods, forming a complementary power generation system for wind and solar energy that can meet the needs of specific users. The ???